

GunMnfrctr./Model	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XT1 Procyon	4.60"										38321													
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Surefire X200, X300	4.60"										3832								3832	3832			3832	
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"										3832			3830										
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"													38321										
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XT1 Procyon. Note: holsters listed will not retain the handgun without the light attached														38321										
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XT1 Procyon	4.50"													938321										
34, 35 w/IT Streamlight M3 or Insight XT1 Procyon NOTE: Holster will retain weapon without light attached	5.32"										6832			6832										
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XT1 Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"										68321			68321										
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XT1 Procyon	5.30"										68321													
34, 35 with ITI M3, TLR-1, or SureFire X200, X300	5.30"										6832								6832				6832	
37 with ITI M3, TLR-1, Surefire X200, X300, or Insight XT1 Procyon	4.50"										6832								7832	7832			7832	
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XT1 Procyon	4.50"													7832										
37 with Glock Tactical Light, GTL 10 (light only)	4.50"																							
Heckler & Koch	BBL.	18	22		27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
P7M8	4.10"													82	82									
P7M13	4.10"													82	82									
P30 DAO	3.78"				295		295	295				295		295					295	295			295	
P2000	3.50"								744		97								97	97		97	97	
P2000, P2000SC	3.25"								744															
P2000 European Version w/light mount frame	3.62"				97				744					97										
P2000 European Version and US Version w/light mount frame	3.50"				97				744					97										
US Version P2000 DAO (bobbed hammer)	3.50"								744						297				97				97	
US Version P2000 SC DAO (bobbed hammer)	3.25"								744						297									
USP 9, 40	4.25"							91	83	91	91			93	91			140	91	91			91	
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"																			91				
USP9C 40C	3.58"							291	54	291			291	291	291	291		140	291	391	291	291	291	
USP 9 Compact/P10 (Non-US Version)	3.80"																		391	391			391	
USP45	4.53"								83	91				93	93			140						
USP45Compact.45ACP	3.80"																	140						
USP40 Expert	5.20"																							
USP45 Expert	5.20"								49		96													
HK 45	4.25"								83	74	393													
Heckler & Koch	BBL.	18	22		27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
With Lights																								
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"										932													
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light or X300 Note: Holsters will not retain weapon without the light attached	4.41"										1930			1930										
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"													1936										
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XT1 Procyon Note: The Holster will not retain weapon without light attached.	4.25"													9221										
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"													19312										
USP 9, USP 40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XT1 Procyon	4.13"													9321										
USP 9C, USP 40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"													2910										
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XT1 Procyon Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"													29111										

GunMfctr./Model	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
KP90W	4.50"							67										140						
KP91DAO	4.50"							67	49										140					
KP91DC	4.50"							67	49										140					
KP93	3.88"								744										140					
KP94, KP944W, KP944DW	4.25"								744										140					
KP944DAO, KP944	4.25"																		140					
KP944DC, KP944DAO	4.25"																		140					
P345	4.00"					383			83								77	77						
P85	4.50"							65	83	65									140					
P89	4.50"							65	83	65									140					
P89DC	4.50"							65	83	65									140					
P89W, P89DW	4.50"							65	83	65									140					
P90, 45CAL	4.50"							67	49										140					
P90DC	4.50"							67											140					
P91DAO	4.50"							67											140					
P91DC	4.50"							67	49										140					
P95D, KP95D	4.25"								744										140					
P95DAO, KP95DAO	4.25"								744										140					
LC9	3.12"											184												
LCP .380	2.75"		188	188																				
LCP .380 with Crimson Trace	2.75"		1881	1881																				
SR9	4.00"					77			54										140					
SR9C	3 3/8"				83	97			54										140					
S&R Arms	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
SARK2	4.5"								49										49					
SigSauer	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
P220 before gun serial number (G158180), P226 before serial gun number (365426)	4.41"	77			77	77		77	744	77	77			77	77			140	77	77	77	77		
P226R MK25	4.25"								49										140	477				
P220ST Stainless Steel P220R, P220S, P226R, P226S, P226SO with Accessory Rails	4.41"						77	77					777	77	77	77	77							
P220after S/NG158180 (widetrigguerquad)	4.41"																							
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"								744															
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"								49															
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"												777	277					477	477	477	477		
P220R DASA, P226R DASA Spurred hammer w/light rails	4.41"																		477	477	477	477		
P226DAO, P220DAO	4.41"	77			77	77		77	83	77			777	77	77			140						
SigSauer	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
P220R, P226R	4.41"																							
P226after S/N365426 (widetrigguerquad)	4.41"												477											
P220R Compact	3.75"						77	744	744						74	291			140					
P226R Elite	4.41"								49						74				140	477			477	
P225	3.90"				77	77		79	54	79	74				74				140	79		79	79	
P227	4.40"								49			477							140	477				
P227R3	3.78"								744										140					
P228	3.90"	74			77	77	74	79	54	79	74			74	74	74	74	140	74	74	74	74	74	
P229	3.90"	74			77	77	74	74	54	74	74			74	74	74	74	140	74	74	74	74	74	
P229R DASA spurred hammer w/light rails	3.90"						74	744	744	744				744	74	74	74		744	744	744	744	744	
P229R DAK bobbed hammer w/light rails	3.90"							744	744	744				744	174				744	744	744	744	744	
P230	3.62"								85															
P239 (will only fit 9mm as of manufactured date 4603)	3.63"				77			75	54				75	75				140						
P239 .40 & .357	3.63"	75			77		75	75	54				75	75				140						
P239 9mm	3.63"																		75			75	75	
P239 .40	3.63"																		754			754	754	
P245	3.90"				77					83	74							140						
P250 Compact 9/40	3.88"								49															
P250 Full Size 9mm, .40, .45	4.70"																							
SIGProSP2340, 2009	3.88"				77		74	78		78			78	78	74	74	74							
SIGPro SPC2009-w/ightmount rails	3.50"								744															
P2022spurred hammer	3.50"								78		78									278			278	
Sig Arms GSR Revolution 1911	5.00"								53												256			
With Lights	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: The holster will not retain weapon without light attached.	3.50"													27821										
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"																							
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"													7721										
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain gun without light attached.	4.41"										77421													

GunMfctr./Model	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"													2770										
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	4.41"													778										
P220R,P220S P226S,P226SO,P226R w/Acay Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	4.41"													77421										
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"													77412										
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.41"													7740										
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"													7712										
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"													7712										
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	4.41"													778										
SigSauer	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
With Lights																								
P220R P226R (DASA Spurred Hammer) w/Acay Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"										77421			77421										
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"													7700										
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300	4.41"																		7742			7742		
P220R, P226R with MOLAD Light Laser	4.41"													77413										
P226R X-Five with Surefire X200 or X300 light	5.00"													3770										
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"													7421										
P229R DASA (Spurred Hammer) with acay rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"													74421										
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.	3.90"													17421										
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.90"													17412										
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.90"													1740										
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.	3.90"													7440										
P229R with ITI M3, TLR-1, Surefire X200, X300	3.90"																		7442	7442		7442		
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.50"													2782										
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached	5.00"													25621										
Smith&Wesson	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378	6367	1051	1053	7377/7378/7379	
39	4.00"				83	18		18	83	18			18					140						
59	4.00"				83	18		18	83	18			18					140						
410	4.00"								83									140						
411	4.00"						140	140	83				140		140	140	140	140						
439	4.00"				83	18		18	83	18			18					140						
457	4.00"								83									140						
459	4.00"				83	18		18	83	18			18					140						
469	3.50"				83	18		20	54	20								140						
639	4.00"				83	18		18	83	18			18					140						
645	5.00"							23	53					210				140						

GunMfrctr./Model	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
XD 9mm, .40, .45 w/ITI M3, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached	5.00"										14921			14921										
XD 9mm, .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	5.00"										14921									1492				
XD(M) 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																			1452				
XD(M) 40 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																			1462				
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"													14921										
STI/SVI	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
1911 with rails	5.00"								53					56						56			56	
1911 without rails	5.00"				53	53		53	53			53							53	53			53	
2011 with Full Size Dust Cover	5.00"											850												
2011 with Short Dust Cover	5.00"											851												
2011 with Short Dust Cover	6.00"											852												
STI Tactical	5.00"								53					56										
GP6	4.25"								83		855													
GP5 9mm	3.58"								744															
With Lights	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"													5340										
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2 or Insight XTI Procyon	5.00"													5621										
Stinger	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
S-200														164										
Tangfolio	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
Force	3.66"													262										
Force Full Size	4.45"													362										
Taser International	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
Advanced Taser M26														63										
X26														64										
X3														163										
Taurus	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
247 w/accy rails	4.00"				77			39	83	40				40	83									
PT92, PT99C	5.00"				73			73	53	73	73							140						
PT99	5.00"				73			73	53	73										140				
PT99C	4.00"				73			273	51	73	73									140				
PT92C	4.00"				73			273	51	73	73									140				
PP	3.86"				89					89														
Walther	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
PPK	3.27"				89			89		89										89				
PPKS	3.27"				89			89		89										89				
P5	3.50"								54	54		87												
P99	4.00"							84	54										84	84	84	84	84	84
P99Q/PPQ (2008 & newer)	4.00"											384							384	384	384	384	384	384
P99QA	4.00"																		84	84	84	84	84	84
P99C QA	3.50"							84										140	84	284	84	84	84	84
P99 2008 Version	4.00"																		384				384	384
Wilson	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
1911 CQB w/light rail	5.00"								744															
1911	4.88"							53	53	53		53		53										
With Lights	BBL.	18	22	25	27	527	529	518	567/568/569	5181	5188	5195/5197/5198/5199	0701	6287	328	747	748	1090	6377/6378/6379	6367	1051	1053	7377/7378/7379	
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"													5340						560				

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.